PT011/XX PARQUET VARNISH

Parquet Coating – Interior – PU Clear Topcoat – Solvent Borne

SKU: PT 011/xx | **Categories:** Polyurethane Solvent-Based Coatings, Wooden Flooring | **Tags:** Abrasion resistance, Mat, Superior flow

PRODUCT DESCRIPTION

2K Polyurethane SB Top Coat - Mat

2K transparent polyurethane mat topcoat for parquet and wooden flooring with superior mar, black heal, abrasion resistance, and gloss retention.

Superior flow and leveling enabling ease of use.

Very high mechanical and chemical resistance. 20, 45, 60 gloss.

ADDITIONAL INFORMATION

Gloss level	20-60
Basecoat/Topcoat	Topcoat
Indoor/Outdoor	Indoor
Type of chemistry	PU
No of components	2K
Solvent / Water Based	Solvent Borne
Colour	Clear
Application Area	Parquet Floors
Application method	Airless Spray gun, Brush, Roller, Spray gun
Finishing effects	Closed pore, Open pore, Silk Matt
Properties	Abrasion resistance, Black heel resistance, Burnishing resistance, Coffee resistant, High chemical resistant, High traffic floors, High Transparency, High wear resistant, Impact resistant, Mar resistance, Scratch resistant, Water resistant
Specifications	High solids, Increased levelling, Recoatable with high gloss finish
Regulation compliance	Safe to use on Children's toys (EN 71-3)