

S0240/WH BASECOAT



Wood Coating - Interior - PU White Basecoat - Solvent Borne

SKU: S0240/WH | **Categories:** [Basecoat](#), [Chairs](#), [Doors](#), [Furniture](#), [Kitchens](#), [Polyurethane Solvent-Based](#)

[Coatings](#), [Product Type](#), [Products By Application](#), [Products By Chemistry](#), [Tables](#) | **Tags:** [1 coat MDF filling](#), [Crisp sanding](#), [Excellent Filling of Edges](#), [Fast Drying](#), [For High gloss](#), [High Covering Power](#), [High Solids](#), [High Viscosity](#), [Increased Hardness](#), [Superior Thixotropy](#)



PRODUCT DESCRIPTION

Basecoat ideal for priming wooden surfaces to be finished with high gloss lacquers, due to excellent recoatability producing superior gloss surfaces.

1 coat filling of the MDF surface & edges. Excellent filling properties, especially on the edges due to the special thixotropic nature. Excellent sanding, excellent adhesion to the wooden surface and between coats, fast drying. Used on interior wooden surfaces, and MDF.

ADDITIONAL INFORMATION

Indoor/Outdoor	Indoor
Wood type	Ash , Beach , Hardwood , Pine , Softwood
Gloss level	=
Application Area	Doors , Furniture , Kitchens , Tables
Application method	Airless Spray gun , Horizontal , Spray gun , Vertical
Finishing effects	Closed pore
Properties	Block resistance
Specifications	1 coat MDF filling , Fast Drying , High adhesion , High filling efficiency , High solids , High Thixotropy (200 g/m²) , High Viscosity , Recoatable with high gloss finish , Thixotropic
Regulation compliance	Safe to use on Children's toys (EN 71-3)
Type of chemistry	PU
Basecoat/Topcoat	Basecoat
No of components	2K
Colour	White
Solvent / Water Based	Solvent Borne

