TS133/XX TOPCOAT



Wood Coating – Interior – PU Clear Topcoat – Solvent Borne

SKU: TS133/xx | **Categories:** Chairs, Doors, Furniture, Kitchens, Polyurethane Solvent-Based Coatings,

Tables, Topcoat | **Tags:** 50% solids, High Chemical Resistance, High Mechanical Resistance, High Transparency, Scratch Resistance, Silk Satin Finish, Soft feel, Thixotropic

PRODUCT DESCRIPTION

Using a high solid content (50%) **thixotropic system**, create a high quality, smooth silk satin finish, welcoming the soft sense of touch and protecting the wooden surface.

Excellent resistance to wear and tear.

Available from 5 to 70 Gloss.

Mixing ratio 50% with polyurethane catalyst H090.

ADDITIONAL INFORMATION

Basecoat/Topcoat	Topcoat
Indoor/Outdoor	Indoor
Gloss level	00-70
Type of chemistry	PU
No of components	2K
Solvent / Water Based	Solvent Borne
Colour	Clear
Application Area	Doors, Furniture, Kitchens, Tables
Application method	Airless Spray gun, Horizontal, Spray gun, Vertical
Properties	Block resistance, Burnishing resistance, Coffee resistant, High chemical resistant, High Transparency, High wear resistant, House hold chemical resistance, Impact resistant, Scratch resistant, Water resistant
Specifications	Fast Drying, High solids, Thixotropic
Regulation compliance	Safe to use on Children's toys (EN 71-3)